
hyperdiary Documentation

Release 0.6.1

luphord

Dec 03, 2021

Contents:

1	hyperdiary	1
1.1	Installation	1
1.2	Setup	1
1.3	Usage	2
2	Installation	3
2.1	Stable release	3
2.2	From sources	3
3	hyperdiary	5
3.1	hyperdiary package	5
4	Contributing	13
4.1	Types of Contributions	13
4.2	Get Started!	14
4.3	Pull Request Guidelines	15
4.4	Tips	15
4.5	Deploying	15
5	Credits	17
5.1	Development Lead	17
5.2	Contributors	17
6	History	19
6.1	0.6.1 (2020-10-21)	19
6.2	0.6.0 (2019-11-29)	19
6.3	0.5.0 (2019-11-06)	19
6.4	0.4.0 (2019-10-30)	20
6.5	0.3.2 (2019-10-17)	20
6.6	0.3.1 (2019-07-03)	20
6.7	0.3.0 (2019-06-19)	20
6.8	0.2.0 (2019-06-12)	20
6.9	0.1.2 (2019-06-11)	20
6.10	0.1.1 (2019-04-29)	21
6.11	0.1.0 (2019-04-28)	21
7	Indices and tables	23

Python Module Index	25
Index	27

CHAPTER 1

hyperdiary

A command line tool for writing diaries with hyperlinks. Free software, licensed under MIT license.

1.1 Installation

hyperdiary requires Python version 3.5 or later. Once you have Python and pip installed on your machine (and available in your path) you can install hyperdiary by executing

```
pip install hyperdiary
```

1.2 Setup

A project file *hyperdiary.json* is required to setup your diary. It should be of this form:

```
{
  "sources": [
    "2019/05.yaml",
    "2019/06.yaml"
  ],
  "expected": [
    {"start": "2019-05-01", "end": "2019-05-01"},
    {"start": "2019-06-09", "end": "2019-06-10"}
  ],
  "localization": {
    "months": [ "Jan", "Feb", "Mar", "Apr", "May", "Jun",
                "Jul", "Aug", "Sep", "Oct", "Nov", "Dec" ],
    "date_fmt": "%-d.%-m.%Y"
  }
}
```

Your diary content itself is entered in yaml files like this (*2019/06.yaml*):

2019-06-09:

- Some entry goes here with a `$special_identity|link`
- This entry is `+surprise` tagged `+mytag` `+nexttag`
- This entry contains nothing new

2019-06-10:

- Same `$special_identity|link` again and `$New_Identity|NewIdentity`
- `$test` `+mytag`

Use `$target|linktext` to create a hyperlink to *target* showing text *linktext*. Use `+mytag` to add tag *mytag*.

1.3 Usage

```
usage: hyperdiary [-h]
           {check,stats,html,htmlfolder,hugo,tiddlers,tiddlywiki,view}
           ...
```

The hyperdiary main command line interface.

optional arguments:

`-h, --help` show this help message and exit

subcommands:

```
{check,stats,html,htmlfolder,hugo,tiddlers,tiddlywiki,view}
```

Available subcommands

<code>check</code>	Check entire diary for integrity up-to-dateness
<code>stats</code>	Calculate impressive diary statistics
<code>html</code>	Export diary to html
<code>htmlfolder</code>	Export diary to html in folders
<code>hugo</code>	Export diary to hugo static site format
<code>tiddlers</code>	Export diary to tiddlywiki tiddlers format
<code>tiddlywiki</code>	Export diary to tiddlywiki
<code>view</code>	View entries on command line

2.1 Stable release

To install hyperdiary, run this command in your terminal:

```
$ pip install hyperdiary
```

This is the preferred method to install hyperdiary, as it will always install the most recent stable release.

If you don't have [pip](#) installed, this [Python installation guide](#) can guide you through the process.

2.2 From sources

The sources for hyperdiary can be downloaded from the [Github repo](#).

You can either clone the public repository:

```
$ git clone git://github.com/luphord/hyperdiary
```

Or download the [tarball](#):

```
$ curl -OL https://github.com/luphord/hyperdiary/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```


3.1 hyperdiary package

3.1.1 Submodules

3.1.2 hyperdiary.check module

`hyperdiary.check.check` (*diary: hyperdiary.diary.Diary*) → None

3.1.3 hyperdiary.diary module

exception `hyperdiary.diary.BadEntryException`
Bases: `Exception`

class `hyperdiary.diary.DateRange` (*start: datetime.date, end: datetime.date*)
Bases: `object`

static from_json (*obj: Mapping[str, str]*) → `hyperdiary.diary.DateRange`

class `hyperdiary.diary.DayEntry` (*dt: datetime.date, lines: List[str]*)
Bases: `object`

Diary entry for a specific date, contains multiple lines of text.

iter_lines () → `Iterable[Tuple[datetime.date, str]]`

class `hyperdiary.diary.Diary` (*hyperdiary_json: Mapping[KT, VT_co]*)
Bases: `object`

static discover (*subpath: Union[pathlib.Path, str]*) → `hyperdiary.diary.Diary`

static discover_and_load (*path: Union[pathlib.Path, str] = '.'*) → `hyperdiary.diary.Diary`

iter_entries_by_year_and_month () → `Iterable[Tuple[int, Iterable[Tuple[int, Iterable[hyperdiary.diary.DayEntry]]]]]`

```
iter_lines() → Iterable[Tuple[datetime.date, str]]  
load_entries() → None  
nested_dicts_by_year_and_month() → Mapping[int, Mapping[int, Mapping[datetime.date,  
hyperdiary.diary.DayEntry]]]  
class hyperdiary.diary.Token (type: hyperdiary.diary.TokenType, text: str, ref: str = None)  
    Bases: object  
class hyperdiary.diary.TokenType  
    Bases: enum.Enum  
  
    An enumeration.  
  
    Id = 3  
    Tag = 2  
    Text = 1  
  
hyperdiary.diary.find_ids(line: str) → Iterable[hyperdiary.diary.Token]  
hyperdiary.diary.find_tags(line: str) → Iterable[hyperdiary.diary.Token]
```

```
>>> line = "+tag1 +tag2 some content goes here +tag3"  
>>> res = [t.text for t in find_tags(line)]  
>>> res == ["tag1", "tag2", "tag3"]  
True
```

```
hyperdiary.diary.find_token_of_type(line: str, token_type: hyperdiary.diary.TokenType) → It-  
    erable[hyperdiary.diary.Token]  
hyperdiary.diary.tokenize(line: str) → Iterable[hyperdiary.diary.Token]
```

3.1.4 hyperdiary.html module

```
hyperdiary.html.append_li_a(ul: hyperdiary.htmltags.HTML_Element, text: str, href: str) → None  
hyperdiary.html.day_to_html(current: datetime.date, entry: Iterable[str], localiza-  
    tion: hyperdiary.localization.Localization, link_to_id_fn:  
    Callable[[Optional[str]], str] = None) → hyper-  
    diary.htmltags.HTML_Element  
hyperdiary.html.diary_to_html(diary_instance: hyperdiary.diary.Diary, fname: str) → None  
hyperdiary.html.diary_to_html_folder(diary_instance: hyperdiary.diary.Diary, folder: str) →  
    None  
hyperdiary.html.path_for_date(dt: datetime.date) → hyperdiary.simplepath.AbsolutePath  
hyperdiary.html.rel_path(spath: Union[datetime.date, str, int]) → hyper-  
    diary.simplepath.RelativePath  
hyperdiary.html.wrap_html_page(content: Union[HTML_Element, str], title: str = None, level: int  
    = 0) → hyperdiary.htmltags.html  
hyperdiary.html.wrap_page(body_content: Union[HTML_Element, str], page_title: str = None, en-  
    coding: str = 'utf-8', css_references: Iterable[str] = [], inline_css: str  
    = None) → hyperdiary.htmltags.html
```

3.1.5 hyperdiary.htmltags module

```

class hyperdiary.htmltags.HTMLElement(*content, **attributes)
    Bases: object

    append(*items) → hyperdiary.htmltags.HTMLElement

    lazy_render(indent: str = "", add_indent: str = "") → Iterable[str]

    lazy_render_attributes() → Iterable[str]

    render_compact = False

    subelement(item: hyperdiary.htmltags.HTMLElement) → hyperdiary.htmltags.HTMLElement

    tag = 'div'

    write(fname: str) → None

class hyperdiary.htmltags.a(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLElement

    render_compact = True

    tag = 'a'

class hyperdiary.htmltags.article(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLElement

    render_compact = False

    tag = 'article'

class hyperdiary.htmltags.body(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLElement

    render_compact = False

    tag = 'body'

class hyperdiary.htmltags.button(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLElement

    render_compact = True

    tag = 'button'

class hyperdiary.htmltags.div(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLElement

    render_compact = False

    tag = 'div'

class hyperdiary.htmltags.footer(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLElement

    render_compact = False

    tag = 'footer'

class hyperdiary.htmltags.form(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLElement

    render_compact = False

    tag = 'form'

```

```
class hyperdiary.htmltags.h1(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLMLElement

    render_compact = True
    tag = 'h1'

class hyperdiary.htmltags.h2(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLMLElement

    render_compact = True
    tag = 'h2'

class hyperdiary.htmltags.h3(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLMLElement

    render_compact = True
    tag = 'h3'

class hyperdiary.htmltags.h4(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLMLElement

    render_compact = True
    tag = 'h4'

class hyperdiary.htmltags.head(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLMLElement

    render_compact = False
    tag = 'head'

class hyperdiary.htmltags.header(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLMLElement

    render_compact = False
    tag = 'header'

class hyperdiary.htmltags.hr(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLMLElement

    render_compact = False
    tag = 'hr'

class hyperdiary.htmltags.html(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLMLElement

    render_compact = False
    tag = 'html'

class hyperdiary.htmltags.img(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLMLElement

    render_compact = False
    tag = 'img'

class hyperdiary.htmltags.li(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLMLElement

    render_compact = True
```

```
    tag = 'li'

class hyperdiary.htmltags.link(*content, **attributes)
    Bases: hyperdiary.htmltags.HTML_Element

    render_compact = False

    tag = 'link'

class hyperdiary.htmltags.meta(*content, **attributes)
    Bases: hyperdiary.htmltags.HTML_Element

    render_compact = False

    tag = 'meta'

class hyperdiary.htmltags.nav(*content, **attributes)
    Bases: hyperdiary.htmltags.HTML_Element

    render_compact = False

    tag = 'nav'

class hyperdiary.htmltags.ol(*content, **attributes)
    Bases: hyperdiary.htmltags.HTML_Element

    render_compact = False

    tag = 'ol'

class hyperdiary.htmltags.p(*content, **attributes)
    Bases: hyperdiary.htmltags.HTML_Element

    render_compact = True

    tag = 'p'

class hyperdiary.htmltags.small(*content, **attributes)
    Bases: hyperdiary.htmltags.HTML_Element

    render_compact = True

    tag = 'small'

class hyperdiary.htmltags.span(*content, **attributes)
    Bases: hyperdiary.htmltags.HTML_Element

    render_compact = True

    tag = 'span'

class hyperdiary.htmltags.style(*content, **attributes)
    Bases: hyperdiary.htmltags.HTML_Element

    render_compact = False

    tag = 'style'

class hyperdiary.htmltags.table(*content, **attributes)
    Bases: hyperdiary.htmltags.HTML_Element

    render_compact = False

    tag = 'table'

class hyperdiary.htmltags.tbody(*content, **attributes)
    Bases: hyperdiary.htmltags.HTML_Element
```

```
    render_compact = False
    tag = 'tbody'
class hyperdiary.htmltags.td(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLMLElement
    render_compact = True
    tag = 'td'
class hyperdiary.htmltags.th(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLMLElement
    render_compact = False
    tag = 'th'
class hyperdiary.htmltags.thead(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLMLElement
    render_compact = False
    tag = 'thead'
class hyperdiary.htmltags.title(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLMLElement
    render_compact = True
    tag = 'title'
class hyperdiary.htmltags.tr(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLMLElement
    render_compact = False
    tag = 'tr'
class hyperdiary.htmltags.ul(*content, **attributes)
    Bases: hyperdiary.htmltags.HTMLMLElement
    render_compact = False
    tag = 'ul'
```

3.1.6 hyperdiary.hugo module

```
hyperdiary.hugo.diary_to_hugo(diary_instance: hyperdiary.diary.Diary, folder:
    Union[pathlib.Path, str]) → None
hyperdiary.hugo.nice_date(dt: datetime.date) → str
```

3.1.7 hyperdiary.localization module

```
class hyperdiary.localization.Localization(months: List[str] = ['January', 'February',
    'March', 'April', 'May', 'June', 'July', 'August', 'September', 'October', 'November',
    'December'], days_short: List[str] = ['Mon', 'Tue', 'Wed', 'Thu', 'Fri', 'Sat', 'Sun'],
    date_fmt: str = '%Y-%m-%d')
    Bases: object
```

format_date (*dt: datetime.date*) → str

Format to localized string. >>> l = Localization() >>> l.format_date(date(2019, 11, 3)) '2019-11-03' >>> l = Localization(date_fmt='%d.%m.%Y') >>> l.format_date(date(2019, 11, 3)) '03.11.2019'

get_day_short (*i: int*) → str

Get the localized name of day *i* (zero-based index starting Monday). >>> l = Localization() >>> l.get_day_short(0) 'Mon' >>> l.get_day_short(6) 'Sun' >>> l.get_day_short(7) Traceback (most recent call last): ... AssertionError >>> Localization(days_short=['Just Mon']) Traceback (most recent call last): ... AssertionError >>> l2 = Localization(days_short=list('1234567')) >>> l2.get_day_short(3) '4' >>> l2.get_day_short(6) '7'

get_month (*i: int*) → str

Get the localized name of month *i* (zero-based index). >>> l = Localization() >>> l.get_month(0) 'January' >>> l.get_month(11) 'December' >>> l.get_month(12) Traceback (most recent call last): ... AssertionError >>> Localization(months=['Just January']) Traceback (most recent call last): ... AssertionError >>> l2 = Localization(months=list('1234567890nd')) >>> l2.get_month(3) '4' >>> l2.get_month(10) 'n'

3.1.8 hyperdiary.simplepath module

class hyperdiary.simplepath.**AbsolutePath** (*path: str*)

Bases: object

exception hyperdiary.simplepath.**InvalidPathError**

Bases: Exception

exception hyperdiary.simplepath.**NotARelativePathError**

Bases: [hyperdiary.simplepath.InvalidPathError](#)

exception hyperdiary.simplepath.**NotAnAbsolutePathError**

Bases: [hyperdiary.simplepath.InvalidPathError](#)

class hyperdiary.simplepath.**RelativePath** (*path: str*)

Bases: object

3.1.9 hyperdiary.stats module

hyperdiary.stats.**stats** (*diary: hyperdiary.diary.Diary*) → Dict[str, int]

3.1.10 hyperdiary.tiddlywiki module

class hyperdiary.tiddlywiki.**Tiddler** (*fname: Union[pathlib.Path, str], **fields*)

Bases: object

static from_entry (*dt: datetime.date, entry: Iterable[str], localization: hyperdiary.localization.Localization*) → hyperdiary.tiddlywiki.Tiddler

text

title

to_div () → str

to_tid () → str

hyperdiary.tiddlywiki.**diary_to_tiddlers** (*diary_instance: hyperdiary.diary.Diary*) → Iterator[hyperdiary.tiddlywiki.Tiddler]

```
hyperdiary.tiddlywiki.diary_to_tiddlers_export (diary_instance: hyperdiary.diary.Diary,  
                                                  tiddler_dir: Union[pathlib.Path, str])  
                                                  → None
```

```
hyperdiary.tiddlywiki.diary_to_tiddlywiki_export (diary_instance: hyper-  
                                                  diary.diary.Diary,          file:  
                                                  Union[pathlib.Path, str], tiddly-  
                                                  wiki_base_file: Union[pathlib.Path,  
                                                  str]) → None
```

```
hyperdiary.tiddlywiki.make_tiddler_filename (o: Union[str, datetime.date]) → str
```

```
>>> make_tiddler_filename(" Frühstück Ähre Grüße Föhn")  
'fruehstueck-aehtre-gruesse-foehn.tid'  
>>> make_tiddler_filename("a.v-_'üöß' tiddler")  
'av-ueoess-tiddler.tid'  
>>> make_tiddler_filename(date(2019, 2, 3))  
'2019-02-03.tid'
```

3.1.11 hyperdiary.view module

```
hyperdiary.view.view (diary: hyperdiary.diary.Diary, dt: datetime.date) → None
```

3.1.12 Module contents

```
hyperdiary.main() → None
```

```
hyperdiary.parse_date (sdate: str) → datetime.date
```


Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

4.1 Types of Contributions

4.1.1 Report Bugs

Report bugs at <https://github.com/luphord/hyperdiary/issues>.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” and “help wanted” is open to whoever wants to implement it.

4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “enhancement” and “help wanted” is open to whoever wants to implement it.

4.1.4 Write Documentation

hyperdiary could always use more documentation, whether as part of the official hyperdiary docs, in docstrings, or even on the web in blog posts, articles, and such.

4.1.5 Submit Feedback

The best way to send feedback is to file an issue at <https://github.com/luphord/hyperdiary/issues>.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

4.2 Get Started!

Ready to contribute? Here's how to set up *hyperdiary* for local development.

1. Fork the *hyperdiary* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/hyperdiary.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv hyperdiary
$ cd hyperdiary/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 hyperdiary tests
$ python setup.py test or py.test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 3.5, 3.6 and 3.7. Check https://travis-ci.com/github/luphord/hyperdiary/pull_requests and make sure that the tests pass for all supported Python versions.

4.4 Tips

To run a subset of tests:

```
$ python -m unittest tests.test_hyperdiary
```

4.5 Deploying

A reminder for the maintainers on how to deploy. Make sure all your changes are committed (including an entry in HISTORY.rst). Then run:

```
$ bumpversion patch # possible: major / minor / patch
$ git push
$ git push --tags
```

Travis will then deploy to PyPI if tests pass.

5.1 Development Lead

- luphord <luphord@protonmail.com>

5.2 Contributors

None yet. Why not be the first?

6.1 0.6.1 (2020-10-21)

- add support for Python 3.8
- upgrade to flake8 3.8.4 and fix linter issues
- replace deprecated test command
- move to travis-ci.com

6.2 0.6.0 (2019-11-29)

- promote status to alpha
- introduced localization using hyperdiary.json; date format and month names so far
- added tiddlers for month (calendar) and year overview with hyperlinks
- Diary supports iteration by year/month
- make docs work

6.3 0.5.0 (2019-11-06)

- removed EntryType, refactored iteration, primarily passing Diary instances around
- fix bug when an ID is followed by a bracket)
- only line entries are allowed, no more dicts

6.4 0.4.0 (2019-10-30)

- full type annotations added for package
- linting and type checking in CI
- EntryTypes Dict and DictLine are deprecated and will be removed in 0.5 (check issues a warning)

6.5 0.3.2 (2019-10-17)

- fix linter configuration (and activate it)
- make all hyperdiary source files PEP8 conform
- set up bumpversion config

6.6 0.3.1 (2019-07-03)

- open date ranges iterate until yesterday, not today
- fix loading hyperdiary.json without expected field

6.7 0.3.0 (2019-06-19)

- Expected date ranges for check subcommand can be specified
- subcommand for export to tiddlywiki
- Tests for various output formats

6.8 0.2.0 (2019-06-12)

- stats subcommand can be invoked for all entries
- Rename *tiddlywiki* subcommand to *tiddlers* for different future usage
- Integrate Travis CI for automated testing
- Add basic tests
- Refactor diary/entry passing to subcommands

6.9 0.1.2 (2019-06-11)

- Fix htmlfolder subcommand by packaging picnic.min.css
- Fix view subcommand by using correct relative import
- Avoid deprecation warning in stats subcommand by using yaml.SafeLoader

6.10 0.1.1 (2019-04-29)

- Fix setup

6.11 0.1.0 (2019-04-28)

- First release on PyPI
- Import from fossil

CHAPTER 7

Indices and tables

- `genindex`
- `modindex`
- `search`

h

- `hyperdiary`, [12](#)
- `hyperdiary.check`, [5](#)
- `hyperdiary.diary`, [5](#)
- `hyperdiary.html`, [6](#)
- `hyperdiary.htmltags`, [7](#)
- `hyperdiary.hugo`, [10](#)
- `hyperdiary.localization`, [10](#)
- `hyperdiary.simplepath`, [11](#)
- `hyperdiary.stats`, [11](#)
- `hyperdiary.tiddlywiki`, [11](#)
- `hyperdiary.view`, [12](#)

A

a (class in hyperdiary.htmltags), 7
 AbsolutePath (class in hyperdiary.simplepath), 11
 append() (hyperdiary.htmltags.HTMLElement method), 7
 append_li_a() (in module hyperdiary.html), 6
 article (class in hyperdiary.htmltags), 7

B

BadEntryException, 5
 body (class in hyperdiary.htmltags), 7
 button (class in hyperdiary.htmltags), 7

C

check() (in module hyperdiary.check), 5

D

DateRange (class in hyperdiary.diary), 5
 day_to_html() (in module hyperdiary.html), 6
 DayEntry (class in hyperdiary.diary), 5
 Diary (class in hyperdiary.diary), 5
 diary_to_html() (in module hyperdiary.html), 6
 diary_to_html_folder() (in module hyperdiary.html), 6
 diary_to_hugo() (in module hyperdiary.hugo), 10
 diary_to_tiddlers() (in module hyperdiary.tiddlywiki), 11
 diary_to_tiddlers_export() (in module hyperdiary.tiddlywiki), 11
 diary_to_tiddlywiki_export() (in module hyperdiary.tiddlywiki), 12
 discover() (hyperdiary.diary.Diary static method), 5
 discover_and_load() (hyperdiary.diary.Diary static method), 5
 div (class in hyperdiary.htmltags), 7

F

find_ids() (in module hyperdiary.diary), 6
 find_tags() (in module hyperdiary.diary), 6
 find_token_of_type() (in module hyperdiary.diary), 6
 footer (class in hyperdiary.htmltags), 7
 form (class in hyperdiary.htmltags), 7

format_date() (hyperdiary.localization.Localization method), 10
 from_entry() (hyperdiary.tiddlywiki.Tiddler static method), 11
 from_json() (hyperdiary.diary.DateRange static method), 5

G

get_day_short() (hyperdiary.localization.Localization method), 11
 get_month() (hyperdiary.localization.Localization method), 11

H

h1 (class in hyperdiary.htmltags), 7
 h2 (class in hyperdiary.htmltags), 8
 h3 (class in hyperdiary.htmltags), 8
 h4 (class in hyperdiary.htmltags), 8
 head (class in hyperdiary.htmltags), 8
 header (class in hyperdiary.htmltags), 8
 hr (class in hyperdiary.htmltags), 8
 html (class in hyperdiary.htmltags), 8
 HTMLElement (class in hyperdiary.htmltags), 7
 hyperdiary (module), 12
 hyperdiary.check (module), 5
 hyperdiary.diary (module), 5
 hyperdiary.html (module), 6
 hyperdiary.htmltags (module), 7
 hyperdiary.hugo (module), 10
 hyperdiary.localization (module), 10
 hyperdiary.simplepath (module), 11
 hyperdiary.stats (module), 11
 hyperdiary.tiddlywiki (module), 11
 hyperdiary.view (module), 12

I

Id (hyperdiary.diary.TokenType attribute), 6
 img (class in hyperdiary.htmltags), 8
 InvalidPathError, 11

`iter_entries_by_year_and_month()` (hyperdiary.diary.Diary method), 5
`iter_lines()` (hyperdiary.diary.DayEntry method), 5
`iter_lines()` (hyperdiary.diary.Diary method), 5

L

`lazy_render()` (hyperdiary.htmltags.HTMLInputElement method), 7
`lazy_render_attributes()` (hyperdiary.htmltags.HTMLInputElement method), 7
`li` (class in hyperdiary.htmltags), 8
`link` (class in hyperdiary.htmltags), 9
`load_entries()` (hyperdiary.diary.Diary method), 6
`Localization` (class in hyperdiary.localization), 10

M

`main()` (in module hyperdiary), 12
`make_tiddler_filename()` (in module hyperdiary.tiddlywiki), 12
`meta` (class in hyperdiary.htmltags), 9

N

`nav` (class in hyperdiary.htmltags), 9
`nested_dicts_by_year_and_month()` (hyperdiary.diary.Diary method), 6
`nice_date()` (in module hyperdiary.hugo), 10
`NotAnAbsolutePathError`, 11
`NotARelativePathError`, 11

O

`ol` (class in hyperdiary.htmltags), 9

P

`p` (class in hyperdiary.htmltags), 9
`parse_date()` (in module hyperdiary), 12
`path_for_date()` (in module hyperdiary.html), 6

R

`rel_path()` (in module hyperdiary.html), 6
`RelativePath` (class in hyperdiary.simplepath), 11
`render_compact` (hyperdiary.htmltags.a attribute), 7
`render_compact` (hyperdiary.htmltags.article attribute), 7
`render_compact` (hyperdiary.htmltags.body attribute), 7
`render_compact` (hyperdiary.htmltags.button attribute), 7
`render_compact` (hyperdiary.htmltags.div attribute), 7
`render_compact` (hyperdiary.htmltags.footer attribute), 7
`render_compact` (hyperdiary.htmltags.form attribute), 7
`render_compact` (hyperdiary.htmltags.h1 attribute), 8
`render_compact` (hyperdiary.htmltags.h2 attribute), 8
`render_compact` (hyperdiary.htmltags.h3 attribute), 8
`render_compact` (hyperdiary.htmltags.h4 attribute), 8
`render_compact` (hyperdiary.htmltags.head attribute), 8

`render_compact` (hyperdiary.htmltags.header attribute), 8
`render_compact` (hyperdiary.htmltags.hr attribute), 8
`render_compact` (hyperdiary.htmltags.html attribute), 8
`render_compact` (hyperdiary.htmltags.HTMLInputElement attribute), 7
`render_compact` (hyperdiary.htmltags.img attribute), 8
`render_compact` (hyperdiary.htmltags.li attribute), 8
`render_compact` (hyperdiary.htmltags.link attribute), 9
`render_compact` (hyperdiary.htmltags.meta attribute), 9
`render_compact` (hyperdiary.htmltags.nav attribute), 9
`render_compact` (hyperdiary.htmltags.ol attribute), 9
`render_compact` (hyperdiary.htmltags.p attribute), 9
`render_compact` (hyperdiary.htmltags.small attribute), 9
`render_compact` (hyperdiary.htmltags.span attribute), 9
`render_compact` (hyperdiary.htmltags.style attribute), 9
`render_compact` (hyperdiary.htmltags.table attribute), 9
`render_compact` (hyperdiary.htmltags.tbody attribute), 9
`render_compact` (hyperdiary.htmltags.td attribute), 10
`render_compact` (hyperdiary.htmltags.th attribute), 10
`render_compact` (hyperdiary.htmltags.thead attribute), 10
`render_compact` (hyperdiary.htmltags.title attribute), 10
`render_compact` (hyperdiary.htmltags.tr attribute), 10
`render_compact` (hyperdiary.htmltags.ul attribute), 10

S

`small` (class in hyperdiary.htmltags), 9
`span` (class in hyperdiary.htmltags), 9
`stats()` (in module hyperdiary.stats), 11
`style` (class in hyperdiary.htmltags), 9
`subelement()` (hyperdiary.htmltags.HTMLInputElement method), 7

T

`table` (class in hyperdiary.htmltags), 9
`Tag` (hyperdiary.diary.TokenType attribute), 6
`tag` (hyperdiary.htmltags.a attribute), 7
`tag` (hyperdiary.htmltags.article attribute), 7
`tag` (hyperdiary.htmltags.body attribute), 7
`tag` (hyperdiary.htmltags.button attribute), 7
`tag` (hyperdiary.htmltags.div attribute), 7
`tag` (hyperdiary.htmltags.footer attribute), 7
`tag` (hyperdiary.htmltags.form attribute), 7
`tag` (hyperdiary.htmltags.h1 attribute), 8
`tag` (hyperdiary.htmltags.h2 attribute), 8
`tag` (hyperdiary.htmltags.h3 attribute), 8
`tag` (hyperdiary.htmltags.h4 attribute), 8
`tag` (hyperdiary.htmltags.head attribute), 8
`tag` (hyperdiary.htmltags.header attribute), 8
`tag` (hyperdiary.htmltags.hr attribute), 8
`tag` (hyperdiary.htmltags.html attribute), 8
`tag` (hyperdiary.htmltags.HTMLInputElement attribute), 7
`tag` (hyperdiary.htmltags.img attribute), 8
`tag` (hyperdiary.htmltags.li attribute), 8
`tag` (hyperdiary.htmltags.link attribute), 9

[tag \(hyperdiary.htmltags.meta attribute\)](#), 9
[tag \(hyperdiary.htmltags.nav attribute\)](#), 9
[tag \(hyperdiary.htmltags.ol attribute\)](#), 9
[tag \(hyperdiary.htmltags.p attribute\)](#), 9
[tag \(hyperdiary.htmltags.small attribute\)](#), 9
[tag \(hyperdiary.htmltags.span attribute\)](#), 9
[tag \(hyperdiary.htmltags.style attribute\)](#), 9
[tag \(hyperdiary.htmltags.table attribute\)](#), 9
[tag \(hyperdiary.htmltags.tbody attribute\)](#), 10
[tag \(hyperdiary.htmltags.td attribute\)](#), 10
[tag \(hyperdiary.htmltags.th attribute\)](#), 10
[tag \(hyperdiary.htmltags.thead attribute\)](#), 10
[tag \(hyperdiary.htmltags.title attribute\)](#), 10
[tag \(hyperdiary.htmltags.tr attribute\)](#), 10
[tag \(hyperdiary.htmltags.ul attribute\)](#), 10
[tbody \(class in hyperdiary.htmltags\)](#), 9
[td \(class in hyperdiary.htmltags\)](#), 10
[Text \(hyperdiary.diary.TokenType attribute\)](#), 6
[text \(hyperdiary.tiddlywiki.Tiddler attribute\)](#), 11
[th \(class in hyperdiary.htmltags\)](#), 10
[thead \(class in hyperdiary.htmltags\)](#), 10
[Tiddler \(class in hyperdiary.tiddlywiki\)](#), 11
[title \(class in hyperdiary.htmltags\)](#), 10
[title \(hyperdiary.tiddlywiki.Tiddler attribute\)](#), 11
[to_div\(\) \(hyperdiary.tiddlywiki.Tiddler method\)](#), 11
[to_tid\(\) \(hyperdiary.tiddlywiki.Tiddler method\)](#), 11
[Token \(class in hyperdiary.diary\)](#), 6
[tokenize\(\) \(in module hyperdiary.diary\)](#), 6
[TokenType \(class in hyperdiary.diary\)](#), 6
[tr \(class in hyperdiary.htmltags\)](#), 10

U

[ul \(class in hyperdiary.htmltags\)](#), 10

V

[view\(\) \(in module hyperdiary.view\)](#), 12

W

[wrap_html_page\(\) \(in module hyperdiary.html\)](#), 6
[wrap_page\(\) \(in module hyperdiary.html\)](#), 6
[write\(\) \(hyperdiary.htmltags.HTML_Element method\)](#), 7